



## Yuasa Technisches Datenblatt

### Yuasa YBX1012 - YBX1000 CaCa Batterien

\* Due to unprecedented demand following the easing of COVID-19 lockdown measures, this product may be supplied without a state of charge indicator and not conform to the level of roll over protection advertised. Product performance and quality are not affected by this. Please check battery labels for specification details.

#### Leistung

Spannung 12V  
 Kapazität 20 Std (vorgegeben) 45Ah  
 Kaltstartstrom (A) EN1 380A

#### Abmessungen

Länge 207mm  
 Breite 175mm  
 Höhe 190mm

#### Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 12.7kg  
 Säurevolumen 3.1 Liter



#### Gehäuseeigenschaften

Gehäusotyp L1 DIN  
 Batteriehalter B3  
 Ladezustandsanzeige ✓  
 Tragegriffe ✓  
 Entgasung ✓  
 Deckeltyp Zentralentgasung


#### Technologie

Flammschutz ✓  
 Technologie Ca/Ca  
 Adskiller PE  
 Empfohlener Ladestrom 3A  
 Performance Marking W3-C2-V2-E1

#### Anschlusspol Typ

##### T1


Standard DIN Post



Positive Terminal

Negative Terminal


#### Zellenanordnung



0

#### Batteriehalter

B3



Datenblatt erstellt am 29/06/2023 - E&EO



## Yuasa Technical Data Sheet

### Yuasa YBX1012 - YBX1000 CaCa Batteries

\* Due to unprecedented demand following the easing of COVID-19 lockdown measures, this product may be supplied without a state of charge indicator and not conform to the level of roll over protection advertised. Product performance and quality are not affected by this. Please check battery labels for specification details.

#### Performance

Voltage	12V
Capacity (20-hour)	45Ah
Cold Cranking Amps (EN1)	380A

#### Dimensions

Length	207mm
Width	175mm
Height	190mm

#### Weights & Measures

Mean Weight with Acid	12.7kg
Acid Volume	3.1 litres



#### Container Features

Case Type	L1 DIN
Hold Down	B3
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	Central Venting


#### Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
Recommended Charge Rate	3A
Performance Marking	W3-C2-V2-E1


#### Terminal Type

##### T1


Standard DIN Post



#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 29/06/2023 – E&OE